



免费电子书

学习

adb

Free unaffiliated eBook created from
Stack Overflow contributors.

#adb

	1
1: adb	2
.....	2
Examples	2
.....	2
.....	3
2:	4
.....	4
.....	4
.....	4
Examples	4
SD	4
SD	4
3:	5
Examples	5
.....	5
4: adb	6
.....	6
Examples	6
Windows	6
5:	7
Examples	7
Logcat	7
6:	9
Examples	9
PC	9
	10

You can share this PDF with anyone you feel could benefit from it, download the latest version from: [adb](#)

It is an unofficial and free adb ebook created for educational purposes. All the content is extracted from [Stack Overflow Documentation](#), which is written by many hardworking individuals at Stack Overflow. It is neither affiliated with Stack Overflow nor official adb.

The content is released under Creative Commons BY-SA, and the list of contributors to each chapter are provided in the credits section at the end of this book. Images may be copyright of their respective owners unless otherwise specified. All trademarks and registered trademarks are the property of their respective company owners.

Use the content presented in this book at your own risk; it is not guaranteed to be correct nor accurate, please send your feedback and corrections to info@zzzprojects.com

1: adb

adb。

adb。 adb。

Examples

WindowsAndroid

1. USB
2. Android
3. Android

USBPCAndroidAndroid。。

1. PCAndroid SDKWindows
2. Android SDKSDK Manager“”
3. SDK Manager“Extras-> Google USB Driver”。 “1”
4. Google USB。 。 。
5. “”“Win + Break”“”“”“”。
6. “”。
7. “”Android。 “”。
8. “”。
9. “”。
10. “”。
11. “”。
12. Google USB。 C\ Program Filesx86\ Android \ android-sdk \ extras \ google \ usb_driver
13. “Android ADB Interface”。
14. “”。
15. “”。
16. “”。
- 17.


adb◦◦◦ ADB◦◦◦

<https://developer.android.com/studio/command-line/adb.html>

adb <https://riptutorial.com/zh-CN/adb/topic/2633/adb>

2:

- adb push [-p] LOCAL REMOTE
- adb pull [-a] [-p] REMOTE [LOCAL]



adb push LOCALREMOTE

LOCALREMOTE

Examples

SD

```
adb push file.txt /sdcard/
```

SD

```
adb pull /sdcard/file.txt
```

<https://riptutorial.com/zh-CN/adb/topic/5844/>

3:

Examples

com.example.myapp>MainActivity °

```
<activity
    android:name=".MainActivity"
    >
    <intent-filter>
        <action android:name="android.intent.action.MAIN"/>
        <category android:name="android.intent.category.LAUNCHER"/>
    </intent-filter>
</activity>
```

°

adb shell °

```
adb shell am start -D -n com.example.myapp/com.example.myapp.MainActivity
```

- IntelliJAndroid StudioRun-> Attach debugger to Android process->

<https://riptutorial.com/zh-CN/adb/topic/4009/>

4: adb

```
adb kill-server。
```

Examples

Windows

```
adb kill-server
set ADB_TRACE=sockets
adb nodamon server 2>&1 | for /f "usebackq tokens=7*" %a in (`findstr /c:"": ""`) do @echo %a
%b >> %USERPROFILE%\Desktop\adb_host_log.txt
```

Android◦ adb kill-server◦ *adb_host_log.txtadb*◦

adb <https://riptutorial.com/zh-CN/adb/topic/5631/adb>

5:

Examples

Logcat

```
adb logcat
```

◦ ◦

```
adb logcat -c
```

◦

```
adb logcat -b buffer_name
```

buffer_name

- radio - /◦
- events - ◦
- main -

Logcat

V - D - I - W - E - F - S -

```
Log.v(); // Verbose  
Log.d(); // Debug  
Log.i(); // Info  
Log.w(); // Warning  
Log.e(); // Error
```

```
Log.i("MainActivityTag", "Showing the very first fragment");
```

logcat

```
07-27 11:34:21.027 I MainActivityTag 66 : Showing the very first fragment
```

```
<timestamp> <logLevel> <tag> <line> : <message>
```

F

```
adb logcat *:F
```

* -

logcatLevel

```
adb logcat <package name>:<log level>
```

/ - Ctrl + X

<https://riptutorial.com/zh-CN/adb/topic/4252/>

6:

Examples

PC

adb devices **USB**◦

1234567890

1234567890 **ID**◦

1234567890

2222222222

...

◦

<https://riptutorial.com/zh-CN/adb/topic/3174/>

S. No		Contributors
1	adb	Community , Paul Ratazzi , Vesrak r
2		Carlo B.
3		Ginandi
4	adb	Alex P.
5		Paul Ratazzi , Pavel Durov
6		TDG