

 免費電子書

學習

adb

Free unaffiliated eBook created from
Stack Overflow contributors.

#adb

.....	1
1: adb	2
.....	2
Examples	2
.....	2
.....	3
2:	4
.....	4
.....	4
.....	4
Examples	4
SD	4
SD	4
3:	5
Examples	5
.....	5
4: adb	6
.....	6
Examples	6
Windows	6
5:	7
Examples	7
PC	7
6:	8
Examples	8
Logcat	8
.....	10

You can share this PDF with anyone you feel could benefit from it, downloaded the latest version from: [adb](#)

It is an unofficial and free adb ebook created for educational purposes. All the content is extracted from [Stack Overflow Documentation](#), which is written by many hardworking individuals at Stack Overflow. It is neither affiliated with Stack Overflow nor official adb.

The content is released under Creative Commons BY-SA, and the list of contributors to each chapter are provided in the credits section at the end of this book. Images may be copyright of their respective owners unless otherwise specified. All trademarks and registered trademarks are the property of their respective company owners.

Use the content presented in this book at your own risk; it is not guaranteed to be correct nor accurate, please send your feedback and corrections to info@zzzprojects.com

adb ◦ ◦ **ADB** ◦ ◦

<https://developer.android.com/studio/command-line/adb.html>

adb <https://riptutorial.com/zh-TW/adb/topic/2633/adb>

2:

- adb push [-p] LOCAL REMOTE
- adb pull [-a] [-p] REMOTE [LOCAL]

	Android
-	
-p	

adb pull LOCALREMOTE

LOCALREMOTE

Examples

SD

```
adb push file.txt /sdcard/
```

SD

```
adb pull /sdcard/file.txt
```

<https://riptutorial.com/zh-TW/adb/topic/5844/>

3:

Examples

com.example.myappMainActivity ◦

```
<activity
  android:name=".MainActivity"
  >
  <intent-filter>
    <action android:name="android.intent.action.MAIN"/>
    <category android:name="android.intent.category.LAUNCHER"/>
  </intent-filter>
</activity>
```

◦

adb shell ◦

```
adb shell am start -D -n com.example.myapp/com.example.myapp.MainActivity
```

◦ IntelliJ Android Studio Run -> Attach debugger to Android process ->

<https://riptutorial.com/zh-TW/adb/topic/4009/>

4: adb

adb kill-server

Examples

Windows

```
adb kill-server
set ADB_TRACE=sockets
adb nodaemon server 2>&1 | for /f "usebackq tokens=7*" %a in (`findstr /c:"): "` do @echo %a
%b >> %USERPROFILE%\Desktop\adb_host_log.txt
```

Android. adb kill-server. *adb_host_log.txt* adb

adb <https://riptutorial.com/zh-TW/adb/topic/5631/adb>

5:

Examples

PC

adb devices USB◦

1234567890

1234567890 ID◦

1234567890

2222222222

...

◦

<https://riptutorial.com/zh-TW/adb/topic/3174/>

6:

Examples

Logcat

```
adb logcat
```

◦ ◦

```
adb logcat -c
```

◦

```
adb logcat -b buffer_name
```

buffer_name

- radio - /◦
- events - ◦
- main -

Logcat

V - D - I - W - E - F - S -

```
Log.v(); // Verbose
Log.d(); // Debug
Log.i(); // Info
Log.w(); // Warning
Log.e(); // Error
```

```
Log.i("MainActivityTag", "Showing the very first fragment");
```

logcat

```
07-27 11:34:21.027 I MainActivityTag 66 : Showing the very first fragment
```

```
<timestamp> <logLevel> <tag> <line> : <message>
```

F

```
adb logcat *:F
```

* -

logcatLevel

```
adb logcat <package name>:<log level>
```

/ - Ctrl + X

<https://riptutorial.com/zh-TW/adb/topic/4252/>

S. No		Contributors
1	adb	Community , Paul Ratazzi , Vesrakra
2		Carlo B.
3		Ginandi
4	adb	Alex P.
5		TDG
6		Paul Ratazzi , Pavel Durov