

 免費電子書

學習

kendo-grid

Free unaffiliated eBook created from
Stack Overflow contributors.

#kendo-grid

.....	1
1: kendo-grid	2
.....	2
Examples.....	2
.....	2
HTML5kendo-UI.....	2
HTML5Kendo-UI - div.....	2
HTML5Kendo-UI - HTML.....	3
.....	7

You can share this PDF with anyone you feel could benefit from it, downloaded the latest version from: [kendo-grid](#)

It is an unofficial and free kendo-grid ebook created for educational purposes. All the content is extracted from [Stack Overflow Documentation](#), which is written by many hardworking individuals at Stack Overflow. It is neither affiliated with Stack Overflow nor official kendo-grid.

The content is released under Creative Commons BY-SA, and the list of contributors to each chapter are provided in the credits section at the end of this book. Images may be copyright of their respective owners unless otherwise specified. All trademarks and registered trademarks are the property of their respective company owners.

Use the content presented in this book at your own risk; it is not guaranteed to be correct nor accurate, please send your feedback and corrections to info@zzzprojects.com

1: kendo-grid

Kendo UI ◦ KendoUI DataSource◦

Dojo

Examples

HTML5 / JavascriptASP.NET MVCJSPPHP/Kendo-UI◦

HTML5kendo-UI◦

1. html5◦
2. **kendo.common.min.csskendo.default.min.css** ◦ head◦
3. Kendo-UIjQuery◦ jQuery**kendo.all.min.jskendo.aspnetmvc.min.js**◦
4. Kendo UI◦
 - div◦ ◦
 - HTML◦ HTML◦

jQuery◦

cdn◦

HTML5Kendo-UI - div

```
<!DOCTYPE html>
<html>
<head>
  <title></title>
  <link rel="stylesheet"
href="http://kendo.cdn.telerik.com/2016.2.714/styles/kendo.common.min.css">
  <link rel="stylesheet"
href="http://kendo.cdn.telerik.com/2016.2.714/styles/kendo.default.min.css">
  <script src="http://code.jquery.com/jquery-1.9.1.min.js"></script>
  <script src="http://kendo.cdn.telerik.com/2016.2.714/js/kendo.all.min.js"></script>
</head>
<body>
  <div id="grid">
  </div>
  <script>
    var products = [{
      ProductID: 11,
      ProductName: "Chai",
```

```

    }, {
      ProductID: 22,
      ProductName: "Chang",
    }, {
      ProductID: 33,
      ProductName: "Aniseed Syrup",
    }, {
      ProductID: 44,
      ProductName: "Chef Anton's Cajun Seasoning",
    }, {
      ProductID: 55,
      ProductName: "Chef Anton's Gumbo Mix",
    }
  ];
  $(document).ready(function () {
    $("#grid").kendoGrid({
      dataSource: {
        data: products,
        schema: {
          model: {
            id: "ProductID",
            fields: {
              ProductName: {
                type: "string"
              }
            }
          },
        },
        pageSize: 10
      },
      sortable: true,
      filterable: true,
      pageable: true,
      columns: [
        { field: "ProductID", title: "ProductID" },
        { field: "ProductName", title: "ProductName" },
        { command: ["edit", "destroy"], title: "&nbsp;" }
      ],
      editable: "inline"
    });
  });
</script>
</body>
</html>

```

HTML5Kendo-UI - HTML

```

<!DOCTYPE html>
<html>
  <head>
    <title></title>
    <link rel="stylesheet"
href="http://kendo.cdn.telerik.com/2016.2.714/styles/kendo.common.min.css">
    <link rel="stylesheet"
href="http://kendo.cdn.telerik.com/2016.2.714/styles/kendo.default.min.css">
    <script src="http://code.jquery.com/jquery-1.9.1.min.js"></script>
    <script src="http://kendo.cdn.telerik.com/2016.2.714/js/kendo.all.min.js"></script>
  </head>
  <body>

```

```

<div id="example">
  <table id="grid">
    <colgroup>
      <col />
      <col />
      <col style="width:110px" />
      <col style="width:120px" />
      <col style="width:130px" />
    </colgroup>
    <thead>
      <tr>
        <th data-field="make">Car Make</th>
        <th data-field="model">Car Model</th>
        <th data-field="year">Year</th>
        <th data-field="category">Category</th>
        <th data-field="airconditioner">Air Conditioner</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <td>Volvo</td>
        <td>S60</td>
        <td>2010</td>
        <td>Saloon</td>
        <td>Yes</td>
      </tr>
      <tr>
        <td>Audi</td>
        <td>A4</td>
        <td>2002</td>
        <td>Saloon</td>
        <td>Yes</td>
      </tr>
      <tr>
        <td>Toyota</td>
        <td>Avensis</td>
        <td>2006</td>
        <td>Saloon</td>
        <td>No</td>
      </tr>
    </tbody>
  </table>

  <script>
    $(document).ready(function() {
      $("#grid").kendoGrid({
        height: 550,
        sortable: true
      });
    });
  </script>
</div>

</body>
</html>

```

1. ASP.NET MVC
2. JavascriptCSS。 Kendo UI CDN。

- JavaScriptCSS

Telerik UI for ASP.NET MVC。 C:\Program Filesx86\ Telerik。

jsScripts。

stylesContent。

Scripts / jsScripts / kendo 。 /Content / kendo 。

App_Start / BundleConfig.cs ASP.NET MVCTelerik UI。

```
bundles.Add(new ScriptBundle("~/bundles/kendo").Include(
    "~/Scripts/kendo/kendo.all.min.js",
    // "~/Scripts/kendo/kendo.timezones.min.js", // uncomment if using the
Scheduler
    "~/Scripts/kendo/kendo.aspnetmvc.min.js"));

bundles.Add(new StyleBundle("~/Content/kendo/css").Include(
    "~/Content/kendo/kendo.common.min.css",
    "~/Content/kendo/kendo.default.min.css"));

bundles.IgnoreList.Clear(); //Tell the ASP.NET bundles to allow minified files in debug mode.
```

jQueryhead。 。 jQueryASP.NET MVCTelerik UI。

```
@Scripts.Render("~/bundles/jquery")
@Scripts.Render("~/bundles/kendo")
```

- CDN

kendo.common.min.csskendo.default.min.css 。 head。

jQuery**kendo.all.min.jskendo.aspnetmvc.min.js 。**

Telerik MVC Scheduler **kendo.all.min.jskendo.timezones.min.js 。**

cdn。

Kendo.Mvc.dlllocation wrappers / aspnetmvc / Binaries / MVC *。

ASP.NET MVCKendo.Mvc.UI。 root web.configView web.config<add
namespace="Kendo.Mvc.UI" />

3. view / aspxKendo UI DatePicker。

```
@(Html.Kendo().DatePicker().Name("datepicker"))
```

ASPX

```
<%: Html.Kendo().DatePicker().Name("datepicker") %>
```

kendo-grid <https://riptutorial.com/zh-TW/kendo-grid/topic/4308/kendo-grid>

S. No		Contributors
1	kendo-grid	Community , Jayesh Goyani