

 免費電子書

學習

notepad++

Free unaffiliated eBook created from
Stack Overflow contributors.

#notepad++

.....	1
1: notepad ++	2
.....	2
.....	2
Examples	8
.....	8
2:	9
Examples	9
.....	9
.....	9
.....	9
9	9
.....	9
3:	11
Examples	11
.....	11
.....	11
4:	13
Examples	13
NppExec	13
TextFX	13
JSON	13
SourceCookifier	16
5:	19
Examples	19
.....	19
.....	20
.....	22

You can share this PDF with anyone you feel could benefit from it, downloaded the latest version from: [notepadplusplus](#)

It is an unofficial and free notepad++ ebook created for educational purposes. All the content is extracted from [Stack Overflow Documentation](#), which is written by many hardworking individuals at Stack Overflow. It is neither affiliated with Stack Overflow nor official notepad++.

The content is released under Creative Commons BY-SA, and the list of contributors to each chapter are provided in the credits section at the end of this book. Images may be copyright of their respective owners unless otherwise specified. All trademarks and registered trademarks are the property of their respective company owners.

Use the content presented in this book at your own risk; it is not guaranteed to be correct nor accurate, please send your feedback and corrections to info@zzzprojects.com

1: notepad ++

Notepad ++^{“””}。MS WindowsGPL。

Notepad ++。。

-
- /
-
-
-
-
-
-
-

。

7.3.3	201738
7.3.2	2017213
7.3.1	2017117
7.3	201711
7.2.2	20161127
7.2.1	○
7.2	2016112
7.1	20161016
7.0	2016922
6.9.2	2016518
6.9.1	2016328
6.9	2016222
6.8.8	
6.8.7	20151127
6.8.6	20151029
6.8.5	○

6.8.4	○
6.8.3	201594
6.8.2	
6.8.1	201584
6.8	2015721
6.7.5	2015310
6.7.4	2015110
6.7.3	201511
6.7.2	
6.7.1	
6.7	
6.6.9	201497
6.6.8	2014727
6.6.7	2014624
6.6.6	2014613
6.6.4	201464
6.6.3	2014518
6.6.2	201458
6.6.1	201454
6.6	2014-05-01
6.5.5	201437
6.5.4	2014218
6.5.3	2013-12-31
6.5.2	○
6.5.1	2013113
6.5	2013929

6.4.5	201389
6.4.4	201388
6.4.3	2013728
6.4.2	201379
6.4.1	2013-06-30
6.4	2013629
6.3.3	201355
6.3.2	201343
6.3.1	2013317
6.3	201323
6.2.3	20121216
6.2.2	20121118
6.2.1	20121111
6.2	20121010
6.1.8	2012917
6.1.7	2012911
6.1.6	2012-08-16
6.1.5	2012-07-07
6.1.4	2012-06-24
6.1.3	2012-05-28
6.1.2	2012-04-26
6.1.1	2012-04-18
6.1	2012-04-10
6.0	2012-03-26
5.9.8	2012-01-05
5.9.6.2	2011-11-13

5.9.6.1	2011-11-05
5.9.6	2011-10-31
5.9.5	2011-10-23
5.9.4	2011-10-11
5.9.3	2011-07-24
5.9.2	2011-06-05
5.9.0	2011-03-31
5.8.7	2011-02-01
5.8.6	2010-12-19
5.8.5	2010-11-24
5.8.4	2010-11-14
5.8.3	2010-11-02
5.8.2	2010-10-11
5.8.1	2010-09-28
5.8	2010-09-22
5.7	2010-07-05
5.6.8	2010-03-04
5.6.7	2010-02-21
5.6.6	2010-01-26
5.6.5	2010-01-25
5.6.4	2009-12-28
5.6.3	2009-12-18
5.6.2	2009-12-11
5.6.1	2009-12-05
5.6	2009-11-30
5.5.1	2009-10-09

5.5	2009-09-21
5.4.5	2009-07-14
5.4.4	2009-07-05
5.4.3	2009-06-07
5.4.2	2009-06-01
5.4.1	2009-05-27
5.4	2009-05-25
5.3.1	2009-03-29
5.3	2009-03-08
5.2	2009-02-08
5.1.4	2009-01-12
5.1.3	2008-12-29
5.1.2	2008-12-14
5.1.1	2008-11-11
5.1	2008-10-25
5.0.3	2008-08-03
5.0.2	2008-07-21
5.0	2008-07-06
4.9.2	2008-05-11
4.9.1	2008-05-04
4.9	2008-05-01
4.8.5	2008-04-11
4.8.2	2008-03-09
4.8.1	2008-03-02
4.7.5	2008-01-14
4.7.3	2008-01-07

4.7.2	2008-01-03
4.7.1	2008-01-02
4.6	2007-11-21
4.5	2007-10-25
4.4	2007-10-14
4.3	2007-09-23
4.2.2	2007-08-15
4.1.2	2007-05-20
4.1.1	2007-05-13
4.1	2007-05-01
4.0.2	2007-02-15
4.0.1	2007-02-04
4.0	2007-01-29
3.9	2006-10-04
3.8	2006-07-23
3.7	2006-06-27
3.6	2006-05-13
3.5	2006-03-02
3.4	2006-01-02
3.3	2005-11-16
3.2	2005-09-03
3.1	2005-07-17
3.0	2005-06-13
2.9	2005-04-02
2.8	2005-03-04
2.7	2005-01-27

2.6	2004-11-29
2.4	2004-09-26
2.3	200488
2.2	2004-07-08
2.1	200459
2.0	2004-04-22
1.9	2004-04-08
1.8	2004327
1.7	2004327
1.6	2004-02-11
1.5	2004-01-18
1.4	2004111
1.3	2004-01-05
1.2	2003-12-27
1.1	2003-12-16
1.0	2003-11-25

Examples

Notepad ++

-
- Ninite <https://ninite.com/notepadplusplus/>
- [GitHub Repo](#)

notepad ++ <https://riptutorial.com/zh-TW/notepadplusplus/topic/2940/notepad-plusplus>

2:

Examples

“” “”/””。

```
Absolute: (group one)...\1
Relative: (group one)(group two)...\-1
Named:    (?<name>group)...\k<name>
```

“” “”/””。

```
Absolute: $1
Named:    ${name}
```

9

\1 \-1\$n° 9

```
Backreference: (group one)...(group ten)...\g{10}
Substitution:  ${10}
```

Notepad ++。

```
(one)(two)(three)...(nine)(more than nine groups!)
```

```
(group)
```

```
(?<name>group)
```

```
('name'group)
```

```
(anonymous)(?<name>named)(anonymous)
```

1

```
((group 2) group 1)
```

(group 1) (?<name>group 2) (group 3)

<https://riptutorial.com/zh-TW/notepadplusplus/topic/8714/>

3:

Examples

Notepad ++



- /
-

◦

1. Settings > Preferences... > Auto-completion
2. Enable Auto-completion on each input

-
-
-

4. Function parameter hint on inputFunction parameter hint on input



[http //docs.notepad-plus-plus.org/index.php/Auto_Completion](http://docs.notepad-plus-plus.org/index.php/Auto_Completion)

[http //docs.notepad-plus-plus.org/index.php/Auto_Completion#How_to_create_keyword_auto-completion_definition_files](http://docs.notepad-plus-plus.org/index.php/Auto_Completion#How_to_create_keyword_auto-completion_definition_files)

5.0Notepad ++Calltips。 XML。 calltip。 Notepad ++.api。

Settings -> Preferences -> Auto Completion -> Enable Auto-completion
Settings -> Preferences -> Auto Completion -> Enable Auto-completion
Settings -> Preferences -> Auto Completion -> Enable Auto-completion
Settings -> Preferences -> Auto Completion -> Enable Auto-completion

AutoComplete“plugins \ APIs”Notepad ++C:\Program Files\Notepad++

AutoComplete XML

o

az AZ 0-9underscore [...]

```
<?xml version="1.0" encoding="Windows-1252" ?>
<NotepadPlus>
  <AutoComplete language="C++">
    <Environment ignoreCase="no" startFunc="( " stopFunc=")" paramSeparator="," terminal=";"
additionalWordChar = "."/>
    <Keyword name="abs" func="yes">
      <Overload retVal="int" descr="Returns absolute value of given integer">
        <Param name="int number" />
      </Overload>
    </Keyword>
  </AutoComplete>
</NotepadPlus>
```

XML NotepadPlusAutoCompleteEnvironment<Environment>

Keywordautoclosingname yesfunc Keyword

Overload Overloadcalltip retValdescr

o Param name/

AutoCompletelanguageNotepad ++

<https://riptutorial.com/zh-TW/notepadplusplus/topic/4843/>

4:

Examples


NppExec

NppExec [[sourceforge](#)]Notepad ++. Plugins -> NppExec [F6Ctrl + F6.

- output_var: on
- C:\scripts\query.sql SQL
-
-
-

```
NPE_CONSOLE v+
sqlcmd -S 111.111.1.1 -U UserName -P "password" -i C:\scripts\query.sql
sel_settext $(OUTPUT)
NPP_CONSOLE 0
cls
```

NppExec. Plugins -> NppExec -> Advanced Options Notepad ++. """".



""Notepad ++.


/Settings -> Shortcut mapper -> Plugin commands.

TextFX

TextFX [[SourceForge](#)]HTMLC ++.

JSON

JSON Viewer [SourceForge](#)JSON。 /JSONtreeviewJSON。



JSON<http://www.json.org>

```
{“glossary”{“title”“example glossary”“GlossDiv”{“title”“S”“GlossList”{“GlossEntry”{“ID”  
“SGML”“SortAs” “SGML”“GlossTerm”“”“SGML”“ISO 88791986”“GlossDef”{“para”  
DocBook。 “”GlossSeeAlso“[“GML”“XML“]”GlossSee“”markup“}}}}
```

- json
- “”/“JSON”/“JSON”Ctrl + Alt + Shift + M.


```
1 {
2   "glossary": {
3     "title": "example glossary",
4     "GlossDiv": {
5       "title": "S",
6       "GlossList": {
7         "GlossEntry": {
8           "ID": "SGML",
9           "SortAs": "SGML",
10          "GlossTerm": "Standard Generalized Markup Language",
11          "Acronym": "SGML",
12          "Abbrev": "ISO 8879:1986",
13          "GlossDef": {
14            "para": "A meta-markup language, used to create markup languages such as
15            DocBook.",
16            "GlossSeeAlso": ["GML",
17              "XML"]
18          },
19          "GlossSee": "markup"
20        }
21      }
22    }
23  }
```

length: 504 lines: 35 Ln: 35 Col: 1 Sel: 0 | 0 Dos\Windows UTF-8


JSONtreeview

- json
- ""/"JSON"/"JSON" `Ctrl + Alt + Shift + J`.

JSON




SourceCookfier Single file mode ◦ N++ session mode Notepad ++ Cookie session mode ◦




Cookie session mode

1. Source Cookfier
- 2.




- cookie;Source Cookifier
- Notepad ++SourceCookifiercookie
- CTRL SHIFTALT - INCLUDES



1. ""Notepad ++cookie;
2. Notepad ++/CTRL + SHIFT + ENTER




3. ALT + LEFTALT + RIGHT



<https://riptutorial.com/zh-TW/notepadplusplus/topic/3677/>

5:

Examples




The screenshot shows a Notepad++ window with the file `contextMenu.xml` open. The code is as follows:

```
16 <Item MenuEntryName="Edit" MenuItemName="Cut"/>
17 <Item MenuEntryName="Edit" MenuItemName="Copy"/>
18 <Item MenuEntryName="Edit" MenuItemName="Paste"/>
19 <Item MenuEntryName="Edit" MenuItemName="Delete"/>
20 <Item MenuEntryName="Edit" MenuItemName="Select all"/>
21
22 <!-- id="0" is the separator -->
23 <Item id="0"/>
24
25 <!-- You can use command id to add the commands you want
26 Check english.xml to get commands id:
27 http://notepad-plus.svn.sourceforge.net/viewvc/notepad-plus/
28
29 Use FolderName (optional) to create sub-menu. FolderName
30 FolderName value can be in any language.
31 -->
32 <Item FolderName="Style token" id="43022"/>
33 <Item FolderName="Style token" id="43024"/>
34 <Item FolderName="Style token" id="43026"/>
35 <Item FolderName="Style token" id="43028"/>
36 <Item FolderName="Style token" id="43030"/>
37
38 <Item FolderName="Remove style" id="43023"/>
39 <Item FolderName="Remove style" id="43025"/>
40 <Item FolderName="Remove style" id="43027"/>
41 <Item FolderName="Remove style" id="43029"/>
42 <Item FolderName="Remove style" id="43031"/>
43 <Item FolderName="Remove style" id="43032"/>
44 <Item id="0"/>
45
```

The status bar at the bottom shows: length: 3; Ln: 35 Col: 21 Sel: 0|0, Dos\Windows, ANSI as UTF-8, INS.

Preferences > Editing



Ctrl ◦

```

10 # HERE -> import MultiEditing|
11 import MultiEditing|
12 # ..... or HERE -> import MultiEditing| ||STOP
13


```

Ctrl + V ◦

1. Edit > Column Mode Alt + C
2. Number to insert
3. 1 1 2 1 1 2 2 3 3

◦
◦

- Alt + Shift / / / /
- Alt + Shift
- Alt +



-
-
-

Edit > Column Mode

◦

- 1.
2. Edit > Column Mode > Number to insert

<https://riptutorial.com/zh-TW/notepadplusplus/topic/5047/>

S. No		Contributors
1	notepad ++	Andrea , Blubberguy22 , Community , Derpcode , Jean-Francois T. , Pavel Pája Halbich , Ray
2		Travis
3		Jean-Francois T.
4		Andrea , David Starkey , Derpcode , Jean-Francois T. , MervS , Pavel Pája Halbich
5		Jean-Francois T.