

 무료 전자 책

배우기

phantomjs

Free unaffiliated eBook created from
Stack Overflow contributors.

#phantomjs

.....	1
1:	2
.....	2
Examples.....	2
.....	2
Visual Studio [NuGet] :.....	2
.....	3
2: PhantomJS	4
Examples.....	4
.....	4
.....	5

You can share this PDF with anyone you feel could benefit from it, downloaded the latest version from: [phantomjs](#)

It is an unofficial and free phantomjs ebook created for educational purposes. All the content is extracted from [Stack Overflow Documentation](#), which is written by many hardworking individuals at Stack Overflow. It is neither affiliated with Stack Overflow nor official phantomjs.

The content is released under Creative Commons BY-SA, and the list of contributors to each chapter are provided in the credits section at the end of this book. Images may be copyright of their respective owners unless otherwise specified. All trademarks and registered trademarks are the property of their respective company owners.

Use the content presented in this book at your own risk; it is not guaranteed to be correct nor accurate, please send your feedback and corrections to info@zzzprojects.com

1:

PhantomJS JavaScript Selenium WebDriver.

WebKit Chrome Safari .

ChromeDriver FirefoxDriver .


PhantomJS .

Examples


Visual Studio [NuGet] :

PhantomJS NuGet Package Manager .

"References" "Manage NuGet Packages" :



"PhantomJS" .



- Selenium.WebDriver - Selenium PhantomJS
- Selenium.Support - Selenium

```
using OpenQA.Selenium;  
using OpenQA.Selenium.PhantomJS;
```

[C #]

```
using (var driver = new PhantomJSDriver())  
{  
    driver.Navigate().GoToUrl("http://stackoverflow.com/");  
  
    var questions = driver.FindElements(By.ClassName("question-hyperlink"));  
  
    foreach (var question in questions)  
    {  
        // This will display every question header on StackOverflow homepage.  
        Console.WriteLine(question.Text);  
    }  
}
```

```
var page = require('webpage').create();  
page.open('http://www.google.com', function(status) {  
    console.log("Status: " + status);  
    var title = page.evaluate(function() {  
        return document.title;  
    });  
    console.log("Loaded page: " + title);  
    phantom.exit();  
});
```

: [https://riptutorial.com/ko/phantomjs/topic/7124/-](https://riptutorial.com/ko/phantomjs/topic/7124/)

2: PhantomJS

Examples

"User-Agent" .

C# :

```
var options = new PhantomJSOptions();
options.AddAdditionalCapability("phantomjs.page.settings.userAgent",
    "Mozilla/5.0 (Windows NT 6.1; Win64; x64; rv:25.0) Gecko/20100101 Firefox/25.0");

using (var driver = new PhantomJSDriver(options))
{
    //code
}
```

PhantomJS .

.

C# :

```
var service = PhantomJSDriverService.CreateDefaultService();
service.HideCommandPromptWindow = true;
service.LoadImages = false;

using (var driver = new PhantomJSDriver(service))
{
    //code
}
```

PhantomJS : <https://riptutorial.com/ko/phantomjs/topic/7135/phantomjs->

S. No		Contributors
1		Community , David Starkey , Jakub Lokša , Martin
2	PhantomJS	Jakub Lokša