



eBook Gratuit

APPRENEZ rmarkdown

eBook gratuit non affilié créé à partir des
contributeurs de Stack Overflow.

#rmarkdown

Table des matières

À propos	1
Chapitre 1: Démarrer avec rmarkdown	2
Remarques.....	2
Exemples.....	2
Installation ou configuration.....	2
Bonjour le monde!.....	2
Crédits	4

À propos

You can share this PDF with anyone you feel could benefit from it, downloaded the latest version from: [rmarkdown](#)

It is an unofficial and free rmarkdown ebook created for educational purposes. All the content is extracted from [Stack Overflow Documentation](#), which is written by many hardworking individuals at Stack Overflow. It is neither affiliated with Stack Overflow nor official rmarkdown.

The content is released under Creative Commons BY-SA, and the list of contributors to each chapter are provided in the credits section at the end of this book. Images may be copyright of their respective owners unless otherwise specified. All trademarks and registered trademarks are the property of their respective company owners.

Use the content presented in this book at your own risk; it is not guaranteed to be correct nor accurate, please send your feedback and corrections to info@zzzprojects.com

Chapitre 1: Démarrer avec rmarkdown

Remarques

Cette section fournit une vue d'ensemble de ce qu'est le rmarkdown et pourquoi un développeur peut vouloir l'utiliser.

Il convient également de mentionner tout sujet important dans le cadre du rmarkdown et d'établir un lien avec les sujets connexes. La documentation de rmarkdown étant nouvelle, vous devrez peut-être créer des versions initiales de ces rubriques connexes.

Exemples

Installation ou configuration

Instructions détaillées sur la mise en place ou l'installation de Rmarkdown.

Bonjour le monde!

```
---
title: "Hello World!"
output: html_document
---

```{r setup, include=FALSE}
knitr::opts_chunk$set(echo = FALSE)

Running the setup first allows you to set the options for how each chunk of R code
will be handled, and the options are in fact part of the first chunk.
In this example, I've set the echo = FALSE so the R code isn't displayed to the user

#Note that if you want to load any other dependencies, you can load them here:
library(ggplot2)

Always end the chunk before moving on to the regular markdown content using:
...

Getting Started with RMarkdown

The heading is denoted with the hashtag (#) and a space. Review the pandoc markdown
to see what's available knowing you can always write customized
HTML or LaTeX as needed.

```{r intro, echo=TRUE}
# for this chunk, I turned the echo = TRUE so you can see the R output.
# each chunk should have different names so you can easily debug your code
...

# Graphs with RMarkdown
```

```

```{r graphs}
data <- cars
ggplot(data, aes(x = speed, y = dist)) +
 geom_point()
```

## Tables with RMarkdown

## Using R Output

```{r tables, echo =FALSE}
table with just R output
head(cars, n=10)
```

## Tables with RMarkdown

## Using grid.draw

```{r tables_grid}
table with grid/gridExtra packages
library(grid)
library(gridExtra)
x <- tableGrob(head(cars, n=10))
grid.draw(x)
```

# You got this!

Now try changing the output in the header/YAML from html_document to ioslides_presentation and see how things change!

```

Lire Démarrer avec rmarkdown en ligne: <https://riptutorial.com/fr/rmarkdown/topic/9386/demarrer-avec-rmarkdown>

Crédits

| S. No | Chapitres | Contributeurs |
|-------|-------------------------|--|
| 1 | Démarrer avec rmarkdown | Community , Martin Schmelzer , Ryan Morton |