



EBook Gratuito

APPENDIMENTO

rmarkdown

Free unaffiliated eBook created from
Stack Overflow contributors.

#rmarkdown

Sommario

Di.....	1
Capitolo 1: Iniziare con rmarkdown.....	2
Osservazioni.....	2
Examples.....	2
Installazione o configurazione.....	2
Ciao mondo!.....	2
Titoli di coda.....	4

You can share this PDF with anyone you feel could benefit from it, downloaded the latest version from: [rmarkdown](#)

It is an unofficial and free rmarkdown ebook created for educational purposes. All the content is extracted from [Stack Overflow Documentation](#), which is written by many hardworking individuals at Stack Overflow. It is neither affiliated with Stack Overflow nor official rmarkdown.

The content is released under Creative Commons BY-SA, and the list of contributors to each chapter are provided in the credits section at the end of this book. Images may be copyright of their respective owners unless otherwise specified. All trademarks and registered trademarks are the property of their respective company owners.

Use the content presented in this book at your own risk; it is not guaranteed to be correct nor accurate, please send your feedback and corrections to info@zzzprojects.com

Capitolo 1: Iniziare con rmarkdown

Osservazioni

Questa sezione fornisce una panoramica di ciò che rmarkdown è, e perché uno sviluppatore potrebbe voler usarlo.

Dovrebbe anche menzionare eventuali soggetti di grandi dimensioni all'interno di rmarkdown e collegarsi agli argomenti correlati. Poiché la documentazione di rmarkdown è nuova, potrebbe essere necessario creare versioni iniziali di tali argomenti correlati.

Examples

Installazione o configurazione

Istruzioni dettagliate su come installare o installare rmarkdown.

Ciao mondo!

```
---
title: "Hello World!"
output: html_document
---

```{r setup, include=FALSE}
knitr::opts_chunk$set(echo = FALSE)

Running the setup first allows you to set the options for how each chunk of R code
will be handled, and the options are in fact part of the first chunk.
In this example, I've set the echo = FALSE so the R code isn't displayed to the user

#Note that if you want to load any other dependencies, you can load them here:
library(ggplot2)

Always end the chunk before moving on to the regular markdown content using:
...

Getting Started with RMarkdown

The heading is denoted with the hashtag (#) and a space. Review the pandoc markdown
to see what's available knowing you can always write customized
HTML or LaTeX as needed.

```{r intro, echo=TRUE}
# for this chunk, I turned the echo = TRUE so you can see the R output.
# each chunk should have different names so you can easily debug your code
...

# Graphs with RMarkdown
```

```

```{r graphs}
data <- cars
ggplot(data, aes(x = speed, y = dist)) +
 geom_point()
```

## Tables with RMarkdown

## Using R Output

```{r tables, echo =FALSE}
table with just R output
head(cars, n=10)
```

## Tables with RMarkdown

## Using grid.draw

```{r tables_grid}
table with grid/gridExtra packages
library(grid)
library(gridExtra)
x <- tableGrob(head(cars, n=10))
grid.draw(x)
```

# You got this!

Now try changing the output in the header/YAML from html_document to ioslides_presentation and see how things change!

```

Leggi Iniziare con rmarkdown online: <https://riptutorial.com/it/rmarkdown/topic/9386/iniziare-con-rmarkdown>

Titoli di coda

| S. No | Capitoli | Contributors |
|-------|------------------------|--|
| 1 | Iniziare con rmarkdown | Community , Martin Schmelzer , Ryan Morton |