



무료 전자 책

배우기

spring-batch

Free unaffiliated eBook created from
Stack Overflow contributors.

#spring-
batch

	1
1:	2
	2
	2
Examples	2
Maven Java Config	2
	2
Maven	2
Hello World	2
	7

You can share this PDF with anyone you feel could benefit from it, download the latest version from: [spring-batch](#)

It is an unofficial and free spring-batch ebook created for educational purposes. All the content is extracted from [Stack Overflow Documentation](#), which is written by many hardworking individuals at Stack Overflow. It is neither affiliated with Stack Overflow nor official spring-batch.

The content is released under Creative Commons BY-SA, and the list of contributors to each chapter are provided in the credits section at the end of this book. Images may be copyright of their respective owners unless otherwise specified. All trademarks and registered trademarks are the property of their respective company owners.

Use the content presented in this book at your own risk; it is not guaranteed to be correct nor accurate, please send your feedback and corrections to info@zzzprojects.com

1:

.spring-batch

Version	Release Date
3.0.x	2016-04-22
2.2.x	2014-05-22
2.1.x	2012-08-20
2.0.x	2009-10-19
1.1.x	2009-01-29
1.0.x	2008-05-06

Examples

Maven Java Config

- Maven .
- IntelliJ, Eclipse NetBeans IDE .

Maven

(, ID com.organization.app , Artifact ID SpringBatchExample :

```
SpringBatchExample
|-- pom.xml
`-- src
    |-- main
    |   '-- java
    |       '-- com
    |           '-- organization
    |               '-- app
    |-- resources
    '-- test
        '-- java
            '-- com
                '-- organization
                    '-- app
```

Hello World

Spring Batch Spring . Java .

pom.xml :

```
<?xml version="1.0" encoding="UTF-8"?>
<project xmlns="http://maven.apache.org/POM/4.0.0"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
                        http://maven.apache.org/xsd/maven-4.0.0.xsd">
    <modelVersion>4.0.0</modelVersion>

    <groupId>com.organization.app</groupId>
    <artifactId>SpringBatchExample</artifactId>
    <version>1.0-SNAPSHOT</version>

    <build>
        <plugins>
            <plugin>
                <groupId>org.apache.maven.plugins</groupId>
                <artifactId>maven-compiler-plugin</artifactId>
                <version>3.1</version>
                <configuration>
                    <source>1.8</source>
                    <target>1.8</target>
                </configuration>
            </plugin>
        </plugins>
    </build>

    <dependencies>
        <dependency>
            <groupId>org.springframework.batch</groupId>
            <artifactId>spring-batch-core</artifactId>
            <version>3.0.7.RELEASE</version>
        </dependency>
        <dependency>
            <groupId>commons-logging</groupId>
            <artifactId>commons-logging</artifactId>
            <version>1.1.1</version>
        </dependency>
    </dependencies>
</project>
```

src/main/java/com/organization/app SpringBatchHelloWorldConfig.java . Spring Batch Employee ,
, Employee :

```
@Configuration
@EnableBatchProcessing
public class SpringBatchHelloWorldConfig {

    @Autowired
    private JobBuilderFactory jobBuilderFactory;

    @Autowired
```

```

private StepBuilderFactory stepBuilderFactory;

@Bean
public Step step1() {
    return stepBuilderFactory.get("step1")
        .<Employee, Employee>chunk(2)
        .reader(employeeItemReader())
        .processor(employeeItemProcessor())
        .writer(employeeItemWriter())
        .build();
}

@Bean
public Job listEmployeesJob(Step step1) throws Exception {
    return jobBuilderFactory.get("listEmployeesJob")
        .start(step1)
        .build();
}

@Bean
ItemReader<Employee> employeeItemReader() {

    FlatFileItemReader<Employee> reader = new FlatFileItemReader<>();
    reader.setResource(new ClassPathResource("employees.csv"));

    DefaultLineMapper defaultLineMapper = new DefaultLineMapper();
    DelimitedLineTokenizer delimitedLineTokenizer = new DelimitedLineTokenizer();
    delimitedLineTokenizer.setNames(new String[] {"firstName", "lastName", "age",
"salary"});

    BeanWrapperFieldSetMapper<Employee> fieldSetMapper = new
    BeanWrapperFieldSetMapper<>();
    fieldSetMapper.setTargetType(Employee.class);

    defaultLineMapper.setLineTokenizer(delimitedLineTokenizer);
    defaultLineMapper.setFieldSetMapper(fieldSetMapper);
    reader.setLineMapper(defaultLineMapper);

    return reader;
}

@Bean
ItemProcessor<Employee, Employee> employeeItemProcessor() {
    return new ItemProcessor<Employee, Employee>() {
        @Override
        public Employee process(Employee employee) throws Exception {
            employee.setFirstName(employee.getFirstName().toUpperCase());
            employee.setLastName(employee.getLastName().toUpperCase());
            return employee;
        }
    };
}

@Bean
ItemWriter<Employee> employeeItemWriter() {
    return new ItemWriter<Employee>() {
        @Override
        public void write(List<? extends Employee> employeesList) throws Exception {
            for (Employee employee : employeesList) {
                System.out.println("Name: "
                    + employee.getFirstName() + " "

```

```
        + employee.getLastName() + "; "
        + "Age: " + employee.getAge() + "; "
        + "Salary: " + employee.getSalary());
    }
}
};

}
```

Employee.java :

```
public class Employee {
    private String firstName;
    private String lastName;
    private int age;
    private int salary;

    public String getFirstName() {
        return firstName;
    }

    public void setFirstName(String firstName) {
        this.firstName = firstName;
    }

    public String getLastName() {
        return lastName;
    }

    public void setLastName(String lastName) {
        this.lastName = lastName;
    }

    public int getAge() {
        return age;
    }

    public void setAge(int age) {
        this.age = age;
    }

    public int getSalary() {
        return salary;
    }

    public void setSalary(int salary) {
        this.salary = salary;
    }
}
```

resources employees.csv .

```
John,Doe,35,90000
Sue,Smith,45,95000
Joe,Brown,33,86000
Carol,Dunn,25,75000
Mike,Ward,23,70000
Lisa,Jones,22,69000
```

```
src/main/java/com/organization/app .
```

Main.java :

```
public class Main {  
    public static void main(String[] args) {  
  
        ApplicationContext context = new  
AnnotationConfigApplicationContext(SpringBatchHelloWorldConfig.class);  
  
        JobLauncher jobLauncher = context.getBean(JobLauncher.class);  
        Job job = context.getBean("listEmployeesJob", Job.class);  
  
        JobParameters jobParameters = new JobParametersBuilder().toJobParameters();  
  
        try {  
            JobExecution jobExecution = jobLauncher.run(job, jobParameters);  
        }  
        catch (JobExecutionAlreadyRunningException e) {  
            e.printStackTrace();  
        }  
        catch (JobRestartException e) {  
            e.printStackTrace();  
        }  
        catch (JobInstanceAlreadyCompleteException e) {  
            e.printStackTrace();  
        }  
        catch (JobParametersInvalidException e) {  
            e.printStackTrace();  
        }  
    }  
}
```

: <https://riptutorial.com/ko/spring-batch/topic/4089/>--

S. No		Contributors
1		badjr, Community