



免費電子書

學習

# tastypie

Free unaffiliated eBook created from  
**Stack Overflow contributors.**

#tastypie

	1
<b>1: tastypie.....</b>	<b>2</b>
.....	2
Examples.....	2
.....	2
<b>2: Tastypie.....</b>	<b>3</b>
.....	3
Examples.....	3
.....	3
Tastypie.....	3
Tastypie.....	3
Tastypie.....	5
<b>MYAPP / api.py.....</b>	<b>5</b>
<b>urls.py.....</b>	<b>6</b>
Tastypie.....	6
<b>MYAPP / api.py.....</b>	<b>6</b>
.....	7

---

You can share this PDF with anyone you feel could benefit from it, download the latest version from: [tastypie](#)

It is an unofficial and free tastypie ebook created for educational purposes. All the content is extracted from [Stack Overflow Documentation](#), which is written by many hardworking individuals at Stack Overflow. It is neither affiliated with Stack Overflow nor official tastypie.

The content is released under Creative Commons BY-SA, and the list of contributors to each chapter are provided in the credits section at the end of this book. Images may be copyright of their respective owners unless otherwise specified. All trademarks and registered trademarks are the property of their respective company owners.

Use the content presented in this book at your own risk; it is not guaranteed to be correct nor accurate, please send your feedback and corrections to [info@zzzprojects.com](mailto:info@zzzprojects.com)

# 1: tastypie

tastypie◦

tastypie◦ tastypie◦

## Examples

tastypie◦

tastypie <https://riptutorial.com/zh-TW/tastypie/topic/9618/tastypie>

## 2: Tastypie

Tastypie Django Web API。 REST。 Tastypie。 Tastypie ORM。 Tastypie ORMORM。

### Examples

1. tastypieINSTALLED\_APPS。
2. `init .pyapi`。
3. `<my_app> /api/resources.py`

```
from tastypie.resources import ModelResource
from my_app.models import MyModel

class MyModelResource(ModelResource):
    class Meta:
        queryset = MyModel.objects.all()
        allowed_methods = ['get']
```

### URLconf

```
from django.conf.urls import url, include
from tastypie.api import Api
from my_app.api.resources import MyModelResource

v1_api = Api(api_name='v1')
v1_api.register(MyModelResource())

urlpatterns = [
    # ...more URLconf bits here...
    # Then add:
    url(r'^api/', include(v1_api.urls)),
]
```

### Tastypie

Tastypie python pip Github

1. `pip install django-tastypie`
2. [Github](#)

### Tastypie

Django API。 。 tastypie。

- RESTful API HTTP。
- 。
- 。
- API。
-

/JSON/XML/YAML。

Django API。 **Tastypie** **Django Rest Framework** DRF。

## API

- 1.
- 2.
- 3.
4. API
5. HTTP
- 6.
- 7.
- 8.
- 9.
- 10.

## API

- 11.
- 12.
- 13.
- 14.

API *django-tastypie* *django-rest-framework*。

## **django-tastypie** **django-rest-framework**

◦ ◦ ◦

### Tastypie

- OOB
- CBVFormsDjango
- 
- ORM◦
- DjangoDjango
- API
- O-Auth

### DRF

- django◦ djangoCBVForms
- ModelViewSetsREST◦ CustomSerializerAPIViewGenericViews◦
- ◦
-

- OAuth◦
- DJANGO-REST-AUTHAuth / SocialAuthentication / RegistrationLIBRARY◦
- Django◦
- ◦
- djangoCBV◦
- ◦

## Tastypie

TastypieRESTAPIAPI◦

Tastypie◦

API◦

***INSTALLED\_APPS' tastypie '***◦ Tastypie◦

### myapp / models.py

```
from tastypie.utils.timezone import now
from django.contrib.auth.models import User
from django.db import models
from django.utils.text import slugify

class Entry(models.Model):
    user = models.ForeignKey(User)
    pub_date = models.DateTimeField(default=now)
    title = models.CharField(max_length=200)
    slug = models.SlugField(null=True, blank=True)
    body = models.TextField()
```

RESTTastypie◦ myapp / api.py

## MYAPP / api.py

```
from tastypie.resources import ModelResource
from myapp.models import Entry

class EntryResource(ModelResource):
    class Meta:
        queryset = Entry.objects.all()
        resource_name = 'entry'
```

REST◦ Tastypie REST API◦ ModelResource◦ EntryResourceEntryApi◦ Django Forms

*ModelForm*。

DjangoEntryResourceURL。

## urls.py

```
from django.conf.urls import url, include
from myapp.api import EntryResource

entry_resource = EntryResource()

urlpatterns = [
    url(r'^blog/', include('myapp.urls')),
    url(r'^api/', include(entry_resource.urls)),
]
```

localhost8000 / api / entry /API。

*Metaresource\_name*。 Resource。 **EntryResource**。 URL./entry /

## Tastypie

- *HTTPAPIcurlpostman*

POST / PUT / DELETE“401 Unauthorized”。 TastypieReadOnlyAuthorization。 WebPOST / PUT / DELETE。◦

## MYAPP / api.py

```
from tastypie.authorization import Authorization
from tastypie.resources import ModelResource
from myapp.models import Entry

class EntryResource(ModelResource):
    class Meta:
        queryset = Entry.objects.all()
        resource_name = 'entry'
        authorization = Authorization()
```

Tastypie <https://riptutorial.com/zh-TW/tastypie/topic/10640/tastypie>

---

S. No		Contributors
1	tastypie	<a href="#">Community</a>
2	Tastypie	<a href="#">AKHIL MATHEW</a>