🔲 Бесплатная электронная книга

УЧУСЬ word-vba

Free unaffiliated eBook created from **Stack Overflow contributors.**

#word-vba

| | 1 |
|--------------|---|
| 1: word-vba | 2 |
| | 2 |
| Examples | 2 |
| | 2 |
| Visual Basic | 2 |
| | 6 |
| | |



You can share this PDF with anyone you feel could benefit from it, downloaded the latest version from: word-vba

It is an unofficial and free word-vba ebook created for educational purposes. All the content is extracted from Stack Overflow Documentation, which is written by many hardworking individuals at Stack Overflow. It is neither affiliated with Stack Overflow nor official word-vba.

The content is released under Creative Commons BY-SA, and the list of contributors to each chapter are provided in the credits section at the end of this book. Images may be copyright of their respective owners unless otherwise specified. All trademarks and registered trademarks are the property of their respective company owners.

Use the content presented in this book at your own risk; it is not guaranteed to be correct nor accurate, please send your feedback and corrections to info@zzzprojects.com

глава 1: Начало работы с word-vba

замечания

В этом разделе представлен обзор того, что такое word-vba, и почему разработчик может захотеть его использовать.

Следует также упомянуть любые крупные темы в word-vba и ссылки на связанные темы. Поскольку документация для word-vba является новой, вам может потребоваться создать начальные версии этих связанных тем.

Examples

Установка или настройка

Подробные инструкции по установке или установке word-vba.

Открытие редактора Visual Basic

Шаг 1. Откройте документ.

| H 5- | (j 🔸 | '⊢¦ A | ` A [*] ∓ | | | | | | | |
|-----------------------------------|---------|---------------------------------------|--------------------|-----------------------|---|------------------------------------|--------|--|-------------|----------------------|
| File | Home | Insert | Design | Layout | References | Mailings | Review | View | eForms | ♀ Tell me w |
| Új eForms dokumentum eForms | Paste | Cut E Copy ✓ Forma Clipboard | at Painter ធ | Calibri (Boo B I U | ly) ▼ 11 ▼ A ▼ abc x ₂ x ² Font | Λ́ Ά Αa - Α - ^a ν⁄ - | | - ¹ = → ¹ = = = = Pa | - | 2↓ ¶ • ⊞ • ₪ |
| | | | | | 1 · 2 · 1 · 1 · | 1 | 2 . | 1 · 3 · 1 · | 4 • 1 • 5 • | |
| 1 2 | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| - | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| . 11 10 . | | | | | | | | | | |
| - Page 1 of 1 | 0 words | []2 н | ungarian | | | | | | | |

Шаг 2 Вариант А: нажмите Alt + F11

Это стандартный ярлык для открытия VBE.

Шаг 2 Вариант В: вкладка разработчика -> Просмотреть код

Во-первых, вкладка «Разработчик» должна быть добавлена к ленте. Откройте «Файл» -> «Параметры» -> «Настроить ленту», затем установите флажок для разработчика.

| General | Customize the Ribbon and keyboa | rd shortcuts. | |
|----------------------|--|-------------------------------------|--|
| Display | oose commands from: | | Customize the Ribbon (i) |
| Proofing | opular Commands | * | Main Tabs |
| Save | | | |
| Language | Accept Revision | • | Main Tabs |
| Advanced | Align Left | | |
| Customize Ribbon | Bullets Center | ▶ | |
| Quick Access Toolbar | Change List Level Copy | • | |
| Add-ins | Cut Define New Number Format | | E Editing |
| Trust Center | Delete Draw Table Draw Vertical Text Box | | |
| | Find Fit to Window Width Font | <u>A</u> dd >> << <u>R</u> emove | ■ ✓ Mailings ■ ✓ Review ■ ✓ View ■ ■ ■ |
| A | Font Color Font Settings Font Size | Ĩ- | Forms Developer |
| AB ³ | Footnote Format Painter Grow Font | | |
| | Insert Comment Insert Page Section Breaks | • | |
| | Insert Picture Insert Text Box | - | New Tab |
| | | | Customizations: Reset • |
| Kej | yboard shortcuts: Cus <u>t</u> omize | | Im <u>p</u> ort/Expo |

Затем перейдите на вкладку разработчика и «Visual Basic»,

| H | 5- ర 🔹 | r ⊢ a | à Ŧ | | | | | | | | | |
|-----------------|--------|--|--------------------|-----------------|----------------|---------|------------|---|-------|-------------------|------------------|---------|
| File | Home | Insert | Design | Layout | Refere | ences | Mailings | ; Review | View | eForms | Develo | oper |
| Visual Basic | Macros | cord Macro use Record acro Securit | ing Add- ins | Word Add-ins | COM Add-ins | Aa Aa | | I Design Mode ☐ Properties ☐ Group - | XM | L Mapping Pane | Block Authors | Restric |
| _ | Code | | | Add-ins | | | Con | ntrols | l l | Mapping | Prot | ect |
| L | | | | | 1 • 2 • | 1 + 1 + | 1 • [] • 1 | • 1 • 1 • 2 • 1 | • 3 • | 1 · 4 · 1 · | 5 · i · 6 | • (•) |

Это откроет редактор Visual Basic:

着 Microsoft Visual Basic for Applications - Document1

| Project Project Project Project Project (Document) Project Project (Document) Project (Document) Project Project (Document) Project (Document) Project Project (Document) Project Clocument Project Project (Document) Project Clocument Project Clocument Project Clocument Project Project (Document) Project Clocument Project Clocument Project Project Project Project Project Project Project Project Project (Project) Project Proj | <u>F</u> ile <u>E</u> d | lit <u>V</u> iew | <u>Insert</u> | F <u>o</u> rmat | <u>D</u> ebug | <u>R</u> un | <u>T</u> ools | <u>A</u> dd-Ins | <u>W</u> in | dow | <u>H</u> elp | | |
|---|-------------------------|--------------------|---------------|-----------------|---------------|-------------|---------------|-----------------|-------------|-----|--------------|----|--|
| Project Yoursoft Word Objects Project (Document) | : 👿 🔛 - | 🖌 🔛 | b B | 曲一の | 01 | | 2 3 | i 🔗 🦌 | * * | ? | | | |
| Project (Document) Moranel Mo | Project - Pro | oject | ľ | x | | | | | | | | | |
| Image: Second Word Objects Image: Second Objects | | | | ļ | | | | | | | | | |
| Project (Document 1) Marcosoft Word Objects Marcosoft Word Objects Marcosoft Word Objects Marcosoft Word Objects SaxtEPTools (EBPTools) Properties - ThisDocument Alphabet: Categorized Marcosoft Tue ConsecutiveHyte DefaultTabStop 36 Defa | 🕀 😸 Nor | mal | | - | | | | | | | | | |
| Morosoft Word Objects ThisDocument Sectors Sectors Sectors ThisDocument ThisDocument ThisDocument Alphabetic Categorized Name) ThisDocument AluformatOve False AutoGryptentic False ConsecutiveHyc D DefaultTagetFr DisableFeatures False DoNotEmbedSygTrue EmbedLinguistdTrue EmbedLi | 🖃 😻 Pro | ject (Docu | iment1) | | | | | | | | | | |
| → Minibocument → Min | | Microsoft W | ord Obje | cts | | | | | | | | | |
| References SaxEBPTools (EBPTools) Properties - ThisDocument Alphabetic Categorized (Name) ThisDocument AutoFrymentxF False ConsecutiveHyg 0 DefaulfTagetFr DisableFeatures False DoNotEmbedSyTrue EmbedInguistd True EmbedInguist | | | ument | | | | | | | | | | |
| Properties - ThisDocument Alphabetic Categorized (Name) ThisDocument AlufoFormatOve False AutoPhytip 0 DefaultTargetFr DisableFeatures False DotNotEmbedSysTrue EmbedTrueType False EncryptionProvi EnforceStyle False FarEastLineBree FarEastLineBree FarEastLineBree FarEastLineBree FormattingShow, Tsue F | | FRPTools | (FRPToo | ls) | | | | | | | | | |
| Properties - ThisDocument X ThisDocumen Document Alphabetic Categorized (Name) ThisDocument AutoFormatOve False AutoAvythenatic False ConsecutiveHyt 0 DefaultTaisStop 35 DefaultTaisStop 35 DefaultTaisStop 35 DefaultTaisStop 35 DefaultTaisStop 36 DoNotEmbedSytTue EmbedTuruPyeFalse EncryptionProvi EnforceStyle False FarEastLineBrea FarEastLineBrea FarEastLineBrea FarEastLineBrea FarEastLineBrea FormattingShow False Formatting | . Sav | | | | | | | | | | | | |
| Image: Second | | | | | | | | | | | | | |
| InisDocument InisDocument Aphabetic Categorized (Name) ThisDocument Autofrychenstic False Autofrychenstic False Autofrychenstic False DefaultTabStop 36 DefaultTabStop 36 DefaultTagetFr DisableFeatures DisableFeatures False EmbedTureTypeFalse EncryptionProvi EnfortStineBrea FarEastLineBrea FarEastLineBrea False FormattingShow 7-uelse False | | | | | | | | | | | | | |
| Image: Second state of the second s | | | | | | | | | | | | | |
| Properties - ThisDocument Aphabetic Categorized NutoFormatOve False AutoFormatOve False AutoFormatOve False ConsecutiveHyp 0 DefaultTaspetFr DisableTeatures False DoNotEmbedSysTrue EmbedLinguistd True EncorptionProvi EnroptionProvi FarEastLineBreed - wdFarEasttineBreed FormattingShow, True FormattingShow, True | | | | | | | | | | | | | |
| Image: Comparison of the comparison | | | | | | | | | | | | | |
| Properties - ThisDocument ThisDocumen Document Alphabetic Categorized (Name) ThisDocument AutoFormatOve False ChartDataPoint True DefaultTapStop 36 DefaultTapEres False DoNotEmbedSy: True EmbedLinguistic True EmbedTrueType False EncryptionProvie FarEastLineBree 0 - wdFarEastt FormattingShow True FormattingShow S - wdShowFilt FormattingShow S - wdShowFilt | | | | | | | | | | | | | |
| Image: Comparison of the comparison o | | | | | | | | | | | | | |
| Properties - ThisDocument Image: Categorized Alphabetic Categorized Name) ThisDocument AutoFormatOve False Image: Categorized AutoHyphenatic False AutoHyphenatic False ConsecutiveHyp 0 DefaultTargetFr DisableFeatures False EnbedTrueType False Image: Categorized EnbedTrueType False Image: Categorized FarEastLineBrea False FarEastLineBrea False FormattingShow False FormattingShow False | < | | | ` | | | | | | | | ь. | |
| ThisDocument ✓ Alphabetic Categorized (Name) ThisDocument AutoFormatOve False ✓ AutoHyphenatic False AutoHyphenatic False ChartDataPoint ✓ DefaultTargetFr DisableFeatures DisableFeatures False EmbedTinueType False FarEastLineBrea FarEastLineBrea FarEastLineBrea False FormattingShow Tue FormattingShow False | Properties - | ThisDocur | nent | X | | | | | | | | 3 | |
| Alphabetic Categorized (Name) ThisDocument AutoFormatOve False AutoHyphenatic False AutoHyphenatic False ChartDataPoint True ConsecutiveHyp 0 DefaultTabStop 36 DefaultTagetFr DisableFeatures False DoNotEmbedSystTrue EmbedLinguistid True EncryptionProvi FarEastLineBree FarEastLineBree FormattingShow True FormattingShow False | Thing | | - | | | | | | | | | | |
| Alphabetic Categorized (Name) ThisDocument AutoFormatOve False AutoHyphenatic False ChartDataPoint True ConsecutiveHyp 0 DefaultTabstop 36 DefaultTargetFr DisableFeatures False DoNotEmbedSystTrue EmbedLinguistid True EndedTrueType False FarEastLineBrea FarEastLineBrea FormattingShow True FormattingShow False | ThisDocum | ien Docum | ent | ⊻ | | | | | | | | | |
| (Name) ThisDocument ▲ AutoFormatOve False ▲ AutoHyphenatic False ▼ ChartDataPoint True ■ ConsecutiveHyp 0 ■ DefaultTagetFr ■ ■ DisableFeatures False ■ EmbedLinguistid True ■ EmbedLinguistid True ■ EnforceStyle False ■ FarEastLineBrea ■ ■ FormattingShow, True ■ ■ FormattingShow, S - wdShowFilt FormattingShow, S - wdShowFilt ■ | Alphabetic | Categorize | ed | _ | | | | | | | | | |
| AutoFormatOve False AutoFyphenatic False AutoHyphenatic False ChartDataPoint True ConsecutiveHyp 0 DefaultTabStop 36 DefaultTabStop 36 DefaultTargetFr DisableFeatures False DoNotEmbedSy: True EmbedLinguistid True EndedTrueType False EncryptionProvi EnforceStyle False FarEastLineBrea 0 - wdFarEastt Final False FormattingShow True FormattingShow S - wdShowFilt FormattingShow False FormattingShow False | (Name) | ThisDo | cument 🗸 | ∧ | | | | | | | | | |
| AutoHyphenatic False ChartDataPoint True ConsecutiveHyp 0 DefaultTabStop 36 DefaultTargetFr DisableFeatures False DoNotEmbedSys True EmbedLinguistic True EnbedTrueType False EncryptionProvi EnforceStyle False FarEastLineBree FormattingShow True FormattingShow True FormattingShow False | AutoFormat | Ove False | | | | | | | | | | | |
| ChartDataPointTrue ConsecutiveHyp 0 DefaultTabStop 36 DefaultTargetFr DisableFeatures False DoNotEmbedSysTrue EmbedLinguistidTrue EmbedTrueType False EncryptionProvi EnforceStyle False FarEastLineBrea FarEastLineBrea FarEastLineBrea FarEastLineBrea FarEastLineBrea FarEastLineBrea FarEastLineBrea FormattingShow, True FormattingShow, False | AutoHypher | natic False | - | | | | | | | | | | |
| ConsecutiveHyp 0 DefaultTabStop 36 DefaultTargetFr DisableFeatures False DoNotEmbedSys True EmbedLinguistid True EmbedTrueType False EncryptionProvi EnforceStyle False FarEastLineBrea FarEastLineBrea FarEastLineBrea 0 - wdFarEastt Final False FormattingShow True FormattingShow False | ChartDataP | oint True | | | | | | | | | | | |
| DefaultTabStop 36 DefaultTargetFr DisableFeatures False DoNotEmbedSys True EmbedLinguistic True EmbedTrueType False EncryptionProvi EnforceStyle False FarEastLineBrea FarEastLineBrea FarEastLineBrea FarEastLineBrea FormattingShow True FormattingShow False | Consecutive | еНурО | _ | | | | | | | | | | |
| Default arger DisableFeatures False DoNotEmbedSys True EmbedLinguistic True EmbedTrueType False EncryptionProvi EnforceStyle False FarEastLineBrea FarEastLineBrea FarEastLineBrea FarBase FormattingShow True FormattingShow True | DefaultTate | stop 36 | | | | | | | | | | | |
| DoNotEmbedSys True EmbedLinguistid True EmbedTrueType False EncryptionProvi EnforceStyle False FarEastLineBrea FarEastLineBrea FarEastLineBrea 0 - wdFarEastL Final False FormattingShow True FormattingShow 5 - wdShowFilt FormattingShow False | DisableFeat | eurr urec Ealce | _ | | | | | | | | | | |
| EmbedLinguistic True EmbedTrueType False EncryptionProvi EnforceStyle False FarEastLineBrea FarEastLineBrea FarEastLineBrea 0 - wdFarEast Final False FormattingShow True FormattingShow 5 - wdShowFilt FormattingShow False | DoNotEmbe | dSv:True | | | | | | | | | | | |
| EmbedTrueType False EncryptionProvi EnforceStyle False FarEastLineBrea FarEastLineBrea 0 - wdFarEastt Final False FormattingShow True FormattingShow 5 - wdShowFilt FormattingShow False | EmbedLingu | istic True | | | | | | | | | | | |
| EncryptionProvi EnforceStyle False FarEastLineBrea FarEastLineBrea 0 - wdFarEastl Final False FormattingShow True FormattingShow 5 - wdShowFilt FormattingShow False | EmbedTrue | Type False | | | | | | | | | | | |
| EnforceStyle False FarEastLineBrea FarEastLineBrea 0 - wdFarEast Final False FormattingShow True FormattingShow 5 - wdShowFilt FormattingShow False | EncryptionP | rovi | | | | | | | | | | | |
| FarEastLineBrea FarEastLineBrea FarEastLineBrea 0 - wdFarEastL Final False FormattingShow FormattingShow False FormattingShow False FormattingShow False | EnforceStyle | e False | | | | | | | | | | | |
| FarEastLineBrea 0 - wdFarEastL Final False FormattingShow True FormattingShow 5 - wdShowFilt FormattingShow False | FarEastLine | Brea | | | | | | | | | | | |
| Final False FormattingShow True FormattingShow 5 - wdShowFilt FormattingShow False | FarEastLine | Brea 0 - wdF | FarEastl | | | | | | | | | | |
| FormattingShow True FormattingShow 5 - wdShowFilt FormattingShow False | Final | False | | | | | | | | | | | |
| FormattingShow 5 - wdShowFilt FormattingShow False | FormattingS | how True | | | | | | | | | | | |
| FormattingShow False | FormattingS | how 5 - wds | ShowFilt | | | | | | | | | | |
| | FormattingS | how False | | | | | | | | | | | |
| FormattingShow True | FormattingS | how True | | | | | | | | | | | |
| | FormattingS | now False | | | | | | | | | | | |
| FormattingShow False | FormattingS | how False | | | | | | | | | | | |
| CrammarChecks True | GrammarCh | oriow Faise | | | | | | | | | | | |
| GridDistanceHor 9 | GridDistance | Hor 9 | | | | | | | | | | | |
| | CridDistance | Nor 0 | · · · · | ~ | | | | | | | | | |

Прочитайте Начало работы с word-vba онлайн: https://riptutorial.com/ru/word-vba/topic/8062/ начало-работы-с-word-vba



| S. No | Главы | Contributors |
|----------|-----------------------------|---------------------|
| 1 | Начало работы с word-vba | Community, Zsmaster |